

TO AND TO WHOM THESE PRESENTS SHAND COME:

GROWMARK, Inc.

Waltereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different uety therefrom, to the extent provided by the Plant Variety Protection Act at. 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'HS 339'

In Lestimonn Watercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 15th day of January in the year of our Lord one thousand nine hundred and eighty-eight.

lenat H. Evans Commissioner

Plant Variety Protection Office Agricultural Marketing Service Suchard E. Fyry Surrelang of Agriculture

U.S. DEPARTMEN	T OF AGRICULT	rure	FORM APPROVED: OMB NO. 0581-0055	
AGRICULTURAL M	Application is required in order to determine			
APPLICATION FOR PLANT VAR	IETY PROTE	ECTION CERTIFICATE	if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).	
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. VARIETY NAME	
GROWMARK Inc.	•		HS 339	
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	ate and Zin Code	5 PHONE (Include area code)	FOR OFFICIAL USE ONLY	
PO Box 2500	,,		PVPO NUMBER	
Bloomington, Illinois 61702-2	500	(309) 557-2446	8700052	
6. GENUS AND SPECIES NAME	7. FAMILY NA	AME (Botanical)	DATE	
Glycine max	Le	guminosae	VIME 9:00 WA.M. □P.M.	
8. KIND NAME	. 9). DATE OF DETERMINATION	AMOUNT FOR FILING	
Soybean		September 1980	S 1800. D DATE D SAMALY 22 1987 AMOUNT FOR ERTIFICATE	
 IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.) 	N," GIVE FORM	OF ORGANIZATION (Corporation,	AMOUNT FOR CERTIFICATE	
Corporation			\$ 20-000 U	
11. IF INCORPORATED, GIVE STATE OF INCORP	· · · · · · · · · · · · · · · · · · ·	·	December 2,1987	
Delaware	ORATION	·.	12. DATE OF INCORPORATION February 29, 1980	
13. NAME AND ADDRESS OF APPLICANT REPRE	SENTATIVE(S),	IF ANY, TO SERVE IN THIS APPLIC	ATION AND RECEIVE ALL PAPERS	
			•	
AA CUECK ADDOOR		PHONE (Include area	a code):	
14. CHECK APPROPRIATE BOX FOR EACH ATTAI a. Exhibit A, Origin and Breeding History of			tection Act.)	
b. 🖾 Exhibit B, Novelty Statement.	, , ,		•	
c. 🕅 Exhibit C, Objective Description of Varie		n from Plant Variety Protection Offic	e.)	
d. Exhibit D, Additional Description of Vari e. Exhibit E, Statement of the Basis of Appl	•	in		
15. DOES THE APPLICANT(S) SPECIFY THAT SEE	D OF THIS VAR	RIETY BE SOLD BY VARIETY NAME	ONLY AS A CLASS OF CERTIFIED RJS	
SEED? (See Section 83(a) of the Plant Variety Pro	· ·	Yes (If "Yes," answer it		
LIMITED AS TO NUMBER OF GENERATIONS?	S VARIETY BE	BEYOND BREEDER SEE	HICH CLASSES OF PRODUCTION D?	
Yes No		Foundation	Registered Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECT	TION OF THE VARIETY IN THE U.S	Yes (If "Yes," give date)	
			No No	
19. HAS THE VARIETY BEEN RELEASED, OFFER			Yes (If "Yes," give names	
For Spring 1987 planting :	in the Uni	ited States	of countries and dates)	
20. The applicant(s) dealers(s) the significant	1 (1 :	1 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No No	
 The applicant(s) declare(s) that a viable samp plenished upon request in accordance with st 	ne or pasic seed ich regulations	as may be applicable.	with the application and will be re-	
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in So Variety Protection Act.	er(s) of this se ection 41, and i	xually reproduced novel plant vari is entitled to protection under the	ety, and believe(s) that the variety is provisions of Section 42 of the Plant	
Applicant(s) is (are) informed that false repre	esentation here	in can jeopardize protection and r	esult in penalties.	
SIGNATURE OF APPLICANT	DATE			
GROWMARK Inc. Story Total	12/29/86			
SIGNATURE OF APPLICANT		,	DATE	

FORM WA-470 (7-84) (Edition of 3-84 is obsolete.)

EXHIBIT A

Origin and Breeding History of HS 339

1977	-	Cross made.
		PARENTS: A3127 * (Williams * Essex)F ₄
1977-78	-	F_1 and F_2 generations advanced in Florida.
1978	-	F ₃ generation grown. Two-hundred plants selected from bulk population and threshed individually.
1979		F3 single plants were evaluated as F4-derived lines in Progeny rows. One row was selected. Four individual plants were pulled from this row and threshed individually.
1980		The four F ₄ single plants were evaluated as F ₅ -derived lines in progeny rows. One row (HS 339) was selected for its uniformity, standability and disease resistance. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.
		It was in September, 1980, taht it was determined HS 339 was a stable and unique line.
1981	-	Variety was entered in yield trials conducted at two locations in the Midwest. It produced uniform stands and was selected for its yield, standability and disease resistance.
1982	-	Variety was entered in yield trials conducted at 8 locations in the Midwest. It produced uniform stands and was selected for its yield, standability and disease resistance.
1983	-	Variety was entered in yield trials conducted at 17 locations in the Midwest. It produced uniform stands and was selected for its yield, standability and disease resistance.
		Breeder seed was produced.

Trial evaluations since 1980 indicate HS 339 is a unique, uniform and stable soybean variety.

EXHIBIT B

Novelty Statement concerning HS 339 Soybean

To our knowledge the soybean varieties that most closely resemble HS 339 are Williams 82, Harper and A3127. Characteristics which differentiate HS 339 include, but are not necessarily limited to, the following:

1. Flower Color

HS 339 = Purple Williams 82 = White Harper = Purple A3127 = Purple

2. Pod wall Color

HS 339 = Tan Williams 82 = Tan Harper = Brown A3127 = Tan

3. Maturity (Date when 95% of pods were brown) - 15 test average

HS 339 = 9-26.0 Williams 82 = 9-26.5 A3127 = 9-20.8 Lsd.05 = 2.1

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SUYBEAN (Glycine n	max L.)
NAME OF APPLICANT(S) TEMPORARY D	DESIGNATION VARIETY NAME
GROWMARK, Inc.	HS 339
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFICIAL USE ONLY
PO Box 2500	PVPO NUMBER -
Bloomington, Illinois 61702-2500	8700052
Choose the appropriate response which characterizes the variety in the feature	ires described below. When the number of significant digits
in your answer is fewer than the number of boxes provided, place a zero in t	the first box when number is 9 or less (e.g., 0 9).
Starred characters * are considered fundamental to an adequate soybean var	riety description. Other characters should be described
when information is available.	······································
1. SEED SHAPE:	
2 L W T	
	erical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) 4 = Elongate	gate Flattened (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	the second secon
1 1 = Yellow 2 = Green 3 = Brown 4 = Black	5 = Other (Specify)
0.000 000 THE TOTAL TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE T	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	and the second of the second o
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	A ^{ro}
4. OLLO OLL. Water Good	
1 7 Grams per 100 seeds	and the company of th
5. HILUM COLOR: (Mature Seed)	Control of the contro
6 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 =	= Imperfect Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	-
2 1 = Low 2 = High	en de la companya de
8. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	and the second of the second o
9. HYPOCOTYL COLOR:	
1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 26	w cotyledons ('Woodworth'; 'Tracy')
0. LEAFLET SHAPE:	
	(Specify)

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11. LE	AFLET SIZE:		
	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
·		Lastin Wall Color of the Assault Color	
12. LE	AF COLOR: Province of the state of the \$44.50 cm.	de la companya de la La companya de la co	
Γ	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
			terror en
★ 13, FL	OWER COLOR:	\$186.00g	
» × [2 = Purple	3 = White with purple throat	and the second s
★ 14. PO	D COLOR:		
	1 = Tan 2 = Brown	3 = Black	en en skriver en
★ 15, PL	ANT PUBESCENCE COLOR:		
	2 1 = Gray 2 = Brown (Tawny)	and the second s	and the second s
16. PL	ANT TYPES:	THE STATE OF THE SHOP SHOWS	
	1 = Siender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	en de la companya de
17. PL/	ANT HABIT:		
	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pel	2 = Semi-Determinate ('Will') ican')	and the second s
18. MA	TURITY GROUP:	<u>and the second of the second </u>	
0	1 = 000 2 = 00 3 = 0 = 7 9 = VI 10 = VII 11 = VIII		7 = IV
· ·			and the second control of the second control
	EASE REACTION: (Enter 0 = Not Tested; 1 = S ACTERIAL DISEASES:	Susceptible; 2 = Resistant)	Ports visit in the second seco
★ [Bacterial Pustule (Xanthomonas phaseoli va	r. sojensis)	
* [Bacterial Blight (Pseudomonas glycinea)		e de la companya de La companya de la co
[X	Wildfire (Pseudomonas tabaci)		
X L		and the property of the second second	
. FUr	NGAL DISEASES:	and provide the second of the	and the state of the
× [Brown Spot (Septoria glycines)	Î	93/9/07/25
	Frogeye Leaf Spot (Cercospora sojina)		<u>. </u>
* [0		ce 3 0 Race 4 0 Race 5	Other (Specify)
14	Target Spot (Corynespora cassiicola)		
	Downy Mildew (Peronospora trifoliorum var	. mənshurica)	
	Powdery Mildew (Microsphaera diffusa)	to the company of the action	
* 1	Brown Stem Rot (Cephalosporium gregatum)		
0	Stem Canker (Diaporthe phaseolorum var. ca	ulivora)	

79 F)ISFA	SE REACTIC	N· (Enter 0 = Not	Tested; 1 = Susceptible	. 2 = Paristanti	(Oantid)				11 1 N 25
	•			resteu, i – Susceptible	; z = Kesistant)	Continued	r per s	in the state of th	ent News I all a large and a l	Cope to
*	0		SES: (Continued)							
		-		e phaseolorum var; soja	e)					
		Purple Seed	l Stain (Cercospora k	sikuchii)		•				
į	0	Rhizoctonia	a Root Rot (Rhizoct	ronia solani)						
. 1	-1	Phytophtho	ora Rot (Phytophtho	ra megasperma var. soj	ae)	 -	L1		- 10	
*		Race 1	Race 2	Race 3	Race 4	0 Race 5	0	Race 6	Race 7	
	0	Race 8	0 Race 9	Other (Specif	v)					
	VIRA	L DISEASES	S:							
ĺ	0	Bud Blight (Tobacco Ringspot V	/irus)						
	0	Yellow Mos	aic (Bean Yellow Mo	osaic Virus)						
* [0	Cowpea Mos	aic (Cowpea Chloro	tic Virus)						
Ī	0		Bean Pod Mottle Vi	•	I					
.	\equiv									
^ ι			(Soybean Mosaic Vi	rus)						
. '		TODE DISE	*		•	1		4		
Г		Soybean Cys	t Nematode (Hetero	dera glycines)						
X [Race 1	0 Race 2	1 Race 3	0 Race 4	Other (Spe	ecify)			
. <u>L</u>	0	Lance Nema	tode (Hoplolaimus C	Colombus)			•			
* <u> </u>	<u>o</u>] :	Southern Ro	ot Knot Nematode (Meloidogyne incognita	J		•			
*	0 '	Northern Ro	ot Knot Nematode (Meloidogyne Hapla)						
	<u>o</u>] '	Peanut Root	Knot Nematode (Me	eloidogyne arenaria)						•
Γ) F	Reniform Ne	matode (Rotylenchu	lus reniformis)						
Ī	Ī,	THER DISE	ASE NOT ON FOR	M (Specify):					 <u>.</u> _	
-					······································	·	·			
	/SIOL	OGICAL RE	SPONSES: (Enter () = Not Tested; 1 = Sus	sceptible; 2 = Res	istant)	÷			
* []	<u>'</u> "	ron Chlorosis	on Calcareous Soil							
	_] c	ther <i>(Specif</i>)	v)				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
21. INS	ECT R	EACTION:	(Enter 0 = Not Test	ed; 1 = Susceptible; 2 =	= Resistant)	in the second of	Page 1 1			
0	<u> </u>	1exican Bean	Beetle (Epilachna v.							
Lo	P	otato Leaf H	opper (<i>Empoasca fa</i>	bae)				Över Vinne		
	0	ther (Specify	1					<u> </u>		
22. IND	ICATE	WHICH VA	RIETY MOST CLO	SELY RESEMBLES T	HAT SUBMITTE	iD.	. <u> </u>	<u> </u>	<u></u>	1 - 1 - 12-11
- :	IARA			OF VARIETY	1	RACTER		NAME OF VA	DIETV	
	Shape		A3127			et Luster		A3127		<u> </u>
Leaf	Shape		A3127		Seed Siz			A3127		•
Leaf (Color		A3127			ape	1000	A3127		
Leaf :	Size		A3127			Pigmentation		A3127 A3127		
- P		ē.	1 4 3 44 4ds	and the second second	251 Y 1 8 4 1 5 1 5 5 7	Guina de la la la compania de la co		<u>e este de la facilitation de la</u>	And the second	

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIÉTY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT HEIGHT C	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
VAINET	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	POD
HS 339 Submitted	140	1.5	89					17.4	· · · ·
Williams 82 Name of Similar Variety	140	2.4	102					17.9	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

RECEIVED
USDA AMS

JAN 2 2 1987

From Ofc.

Page 4 of 4

U.S. PVP Application Growmark soybean HS339

Exhibit E

Statement of the Basis of Applicant's Ownership

Ownership of soybean ${\sf HS339}$ was transferred to Growmark, Inc. by the breeder and developer of the variety.